




EMB Manufacturing Inc.
4144 Boomer Line · St. Clements, On · N0B 2M0 · Canada
Ph: (519) 699-9283 · Fax: (519) 699-4146
www.embmfg.com

WP630 Wood Processor

Parts Manual

S/N 640028 & After



Refer to the operators
manual for safe opera-
tion and maintainance

2072T100 WP630 Parts Manual
Rev C 270315

Table of Contents

BOLT TORQUE	3
HYDRAULIC FITTING TORQUE.....	4
SPLITTER CHUTE ASS'Y.....	5
LEAD IN CHUTE ASS'Y.....	6
SPLITTER CRADLE ASS'Y	7
LOG CHUTE ASS'Y	8
RUNNING GEAR.....	9
HUB ASSEMBLY DETAIL.....	10
ENGINE & PUMP ASS'Y.....	11
HYDRAULIC LINES	12
HYDRAULIC SPLITTER ASS'Y	13
HYDRAULIC VALVES	14
HYDRAULIC CYLINDER	15
HYDRAULIC CYLINDER SEAL KIT #SLK-4525.....	15
HYDRAULIC WINCH.....	16
WINCH DRUM DETAIL	17
WINCH FAIRLEAD DETAIL	17
LABELS	18
HYDRAULIC SCHEMATIC.....	19
ACCESSORIES.....	20

Foreword

EMB Mfg. has prepared this parts manual to assist customers in ordering quality OEM replacement parts.

Proper and regular service and replacing old, worn or broken parts with the correct Wallenstein parts are essential to prolonging the life of your Wallenstein product. Please refer to this manual before ordering any replacement parts.

All information contained in this parts manual is based on the latest product specification available at the time of printing this manual. If your product differs from the specifications contained within this manual contact EMB Mfg. for information.

EMB reserves the right to alter specifications on their products at any time.

Reproduction of this parts manual of any kind is prohibited without prior written permission from EMB Mfg.



Refer to the operators manual for safe operation and maintenance

For parts and information please contact your dealer. If your dealer is no longer available please go to our website: <http://www.embmfg.com> and click on "FIND A DEALER NEAR YOU" for information on a local dealer.

Bolt Torque**CHECKING BOLT TORQUE**

The tables shown below give correct torque values for various bolts and capscrews. Tighten all bolts to the torques specified in chart unless otherwise noted. Check tightness of bolts periodically, using bolt torque chart as a guide. Replace hardware with the same strength bolt.

Torque figures indicated above are valid for non-greased or non-oiled threads and heads unless otherwise specified. Therefore, do not grease or oil bolts or capscrews unless otherwise specified in this manual. When using locking elements, increase torque values by 5%.


* Torque value for bolts and capscrews are identified by their head markings.

ENGLISH TORQUE SPECIFICATIONS

Bolt Diameter "A"	Bolt Torque*					
	SAE 2 (N.m) (lb-ft)		SAE 5 (N.m) (lb-ft)		SAE 8 (N.m) (lb-ft)	
1/4"	8	6	12	9	17	12
5/16"	13	10	25	19	36	27
3/8"	27	20	45	33	63	45
7/16"	41	30	72	53	100	75
1/2"	61	45	110	80	155	115
9/16"	95	60	155	115	220	165
5/8"	128	95	215	160	305	220
3/4"	225	165	390	290	540	400
7/8"	230	170	570	420	880	650
1"	345	225	850	630	1320	970

**METRIC TORQUE SPECIFICATIONS**

Bolt Diameter "A"	Bolt Torque*			
	8.8 (N.m) (lb-ft)		10.9 (N.m) (lb-ft)	
M3	.5	.4	1.8	1.3
M4	3	2.2	4.5	3.3
M5	6	4	9	7
M6	10	7	15	11
M8	25	18	35	26
M10	50	37	70	52
M12	90	66	125	92
M14	140	103	200	148
M16	225	166	310	229
M20	435	321	610	450
M24	750	553	1050	774
M30	1495	1103	2100	1550
M36	2600	1917	3675	2710




Hydraulic Fitting Torque

Tightening Flare Type Tube Fittings *

1. Check flare and flare seat for defects that might cause leakage.
2. Align tube with fitting before tightening.
3. Lubricate connection and hand tighten swivel nut until snug.
4. To prevent twisting the tube(s), use two wrenches. Place one wrench on the connector body and with the second tighten the swivel nut to the torque shown.


Tube Size OD (in.)	Nut Size Across Flats (in.)	Torque Value•		Recommended Turns To Tighten (After Finger Tightening)	
		(N.m)	(lb-ft)	(Flats)	(Turn)
3/16	7/16	8	6	1	1/6
1/4	9/16	12	9	1	1/6
5/16	5/8	16	12	1	1/6
3/8	11/16	24	18	1	1/6
1/2	7/8	46	34	1	1/6
5/8	1	62	46	1	1/6
3/4	1-1/4	102	75	3/4	1/8
7/8	1-3/8	122	90	3/4	1/8

The torque values shown are based on lubricated connections as in reassembly.




Item	Part Number	Description	Qty
1	2071W104	Splitter Chute	1
2	2071W114	Chute Adjuster	1
3	2071L188	Plate, Spring Mount	1
4	Z11232	Hitch Pin 5/8 x 4-1/4	2
5	Z12110	Latch Pin 3/16	2
6	Z34203	Gas Spring, 10mm x 8.44 Stroke	1
7	Z34204	Ball Stud 13mm x 5/16	1
8	Z72221	Hex Lock Nut, 5/16NC	1
9	Z72251	Hex Lock Nut, 1/2NC	2
10	Z76121	Flange Bolt, 5/16NC x 3/4	3
11	Z76259	Carriage Bolt, 1/2NC x 1-1/4	2


Splitter Chute Ass'y

**Lead In Chute Ass'y**

Item	Part Number	Description	Qty
29	Z12441	Snapper Pin 1/2" X 4-1/2"	2
30	Z229202	Grease Zerk 1/4NF	4
31	Z34204	Ball Stud 13mm x 5/16	2
32	Z71330	Hex Bolt 3/8UNC x 3	2
34	Z72231	Hex Lock Nut, 3/8UNC	2
35	Z72251	Hex Lock Nut, 1/2UNC	4
36	Z76121	Flange Bolt, 5/16NC x 3/4	7
37	Z76259	Carriage Bolt, 1/2NC x 1-1/4	4
38	Z78301	Machine Screw, 1/4-20NC x 3/4	6
39	Z91515	Slide-Wind 10" Jack, No Foot	2
40	Z92311	1/4" Chain x 21"	1


Item	Part Number	Description	Qty
17	2071L503	Plate, Remote Start	1
18	2071W101	Chute, Lead In	1
19	2071W102	Hold Down Bottom	1
20	2071W110	Log Hold Down Long	1
21	2071W112	Pin, Log Hold Down	1
22	2071W118	Chute, Bottom	1
23	2071W120	Winch Shield	1
24	2071W122	Foot, Jack	1
25	2071W136	Pin, Log Hold Down	1
26	2071W137	Dust Guard	1
27	2071W505	Cover, Valve	1
28	5081A100	Hydraulic Winch Assembly	1

**Splitter Cradle Ass'y**



Item	Part Number	Description	Qty
69	2071L123	Clevis, Latch Mount	1
70	2071L504	Hose Clamp, 2x 1/4	2
71	2071S208	Saw Guide	1
72	2071W115	Chute, Log	1
73	2071W121	Arm, Log Chute Lock	1
74	Z12110	Latch Pin 3/16	1
75	Z34203	Gas Spring, 10mm x 8.44 Stroke	2
76	Z34204	Ball Stud 13mm x 5/16	2
77	Z61301	License Lamp	1
78	Z62819	Rubberized Wire Clamp, 1/2"	2
79	Z711215	Hex Bolt, 5/16"NC x 1-1/2	2
80	Z71510	Hex Bolt, 1/2"NC x 1	1
81	Z71515	Hex Bolt, 1/2"NC x 1-1/2	4
82	Z71530	Hex Bolt, 1/2"NC x 3	1
83	Z72211	Hex Lock Nut, 1/4"NC	2
84	Z72221	Hex Lock Nut, 5/16"NC	2
85	Z72251	Hex Lock Nut, 1/2"NC	6
86	Z72531	Flange Nut 3/8"NC	2
87	Z72551	Flange Nut 1/2"NC	2
88	Z73151	Flat Washer, 1/2"	1
89	Z76232	Carriage Bolt, 3/8"NC x 1-1/4	2
90	Z76712	Self-Tapping Screw #10	3
91	Z78301	Machine Screw, 1/4-20"NC x 3/4	2
92	Z96503	Manual Tube 3-1/2" Short	1

Log Chute Ass'y





Part Number	Description	Qty
5 Z55404	Ventil Plug Dipstick x 9"	1
5 2072W010	Tongue, WP630	1
7 2072W396	Weldment, WP630 Tank Base	1
3 2072W394	Axle, Bolt On LH	1
3 2072W394H	Axle, Bolt On RH	1
2 2072W395	Valve Mount	1
1 Z91202	Assembly, 100# 4-Bolt Hub	2
2 2071S129	Chain Bumper	1
3 Z12441	Snapper Pin 1/2 x 4-1/2	1
4 Z51192	Socket Plug MP08	1
5 Z71512	Hex Bolt, 1/2NC x 1-1/4	8
5 Z71515	Hex Bolt, 1/2NC x 1-1/2	4
7 Z71532	Hex Bolt, 1/2NC x 3-1/4	2
3 Z72251	Hex Lock Nut, 1/2NC	14
3 Z6233	FHCS, 3/8NC x 1	4
1 Z91322	5.30-12 LRC USA Trail E-Marked	2
1 Z91512	Side-Wind 10" Swivel Jack	1
2 Z91614	2" Hitch Coupler	2
3 Z92303	Safety Chain 1/4 x 2'	2

Running Gear


Hub Assembly Detail

Item	Part Number	Description	Qty
123	Z12322	2" x 3/16" Split Pin	1
124	Z23202	L44649 Cone, L44610 Cup	2
125	Z28302	Double Lip Seal 1-1/16 Spindle	1
126	Z29201	Grease Fitting, 1/8NPT	1
127	Z72930	Lug Nut 1/2NF	4
128	Z91201	1000# 4-Bolt Hub	1
129	Z91801	Dust Cap 1.98 Bore	1
130	Z72691	1" Castle Nut	1







Hydraulic Lines



Item	Part Number	Description	Qty
135	Z51223	Reducer, MP x FP 1608	1
136	Z51331	Elbow 90 MP x FPX 0808	5
137	Z51334	Elbow 90 MP x FPX 1208	1
138	Z52123	1/4 Hose, #6FJIC x 1/2NPT x 45"	2
139	Z52301	1/2 Hose, MP08 x MP08 x 13"	1
140	Z52303	1/2 Hose, MP08 x MP08 x 33"	1
141	Z55304	Filter Cap, FP16 x FP16	1




Item	Part Number	Description	Qty
112	2071W109	Weldment, Hy Push Block	1
113	Z52339	1/2 Hose, 1/2NPT x 1/2NPT x 43"	1
114	Z52340	1/2 Hose, MP08 x MP08 x 60"	1
115	2071C101	Cylinder, 4-1/2 x 24 x 2-1/2	1
116	2055S517	Cap, Push Block	1
121	2071L215	Plate, Cylinder Retaining	1
128	Z51195	Socket Plug MP12	1
129	Z51331	Elbow 90 MP x FPX 0808	2
130	Z51334	Elbow 90 MP x FPX 1208	2
132	Z71555	Hex Bolt, 1/2NC x 5-1/2	3
133	Z71576G8	Hex Bolt, 1/2NF x 1-1/2 Gr8	3
134	Z72251	Hex Lock Nut, 1/2NC	4





Hydraulic Cylinder


151	575-346	4-1/2" Back-Up Ring	1
152	G450-250S	4-1/2" X 2-1/2" GLAND	1
153	P100-450SP	4-1/2" BORE PISTON	1
154	PSC-346	4-1/2" Double Acting Piston Seal	1
155	ST-250	2-1/2" Rod Wiper	1
156	UI8-250-37B	2-1/2" X 2-7/8" X 3/8" U-CUP	1
157	Z51195	Socket Plug MP12	1
158	Z7229G8	Hex Lock Nut, 1-12NF Gr8	1
159	2071C1014	Barrel, 4-1/2"	1

**Hydraulic Cylinder Seal Kit #SLK-4525**


VIEW SHOWS PROPER SEAL ORIENTATION







Winch Drum Detail


Item	Part Number	Description	Qty
235	5081A103	Cable Clamp	1
236	5081W101	Drum, Main Cable	1
237	5081W116	Speed Change Gear	1
238	Z25207	Z25203 Insert Only	2
239	Z25301	PF206 Flange Only	4
240	Z29202	Grease Zerk 1/4NF	1
241	Z46531	Key, 1/4 x 1/4 x 2	1
242	Z72231	Hex Lock Nut, 3/8NC	6
243	Z74111	Set Screw, 1/4NC	2
244	Z76233	Carriage Bolt, 3/8NC x 3/4	6
245	Z92112	Synthetic Winch Rope 1/4 x 50' with Hook	1

Winch Fairlead Detail

Item	Part Number	Description	Qty
246	5081W103	Bracket, Fairlead	1
247	5081M109	Bushing, Fairlead Side	2
248	5081M111	Bushing, Fairlead Top	2
249	Z27103	Fiberglide Bearing 1/2" x 1"	8
250	Z71566	Hex Bolt, 1/2NC x 6-1/4, 5-1/4 Shank	2
251	Z71567	Hex Bolt, 1/2NC x 5, 4" Shank	2
252	Z72251	Hex Lock Nut, 1/2NC	4





Accessories

#2089A570 NYLON CHAINSAW HOLSTER

Manual

WALLENSTEIN
EMB Manufacturing Inc.
4144 Boomer Lane - St. Clements, On N0B 2M0 Canada
Ph: (519) 859-3293 Fax: (519) 859-4146
www.embmfg.com



Wood Processor
MODEL WP630, WP830 & WP860


OPERATOR'S MANUAL

PRINTED IN CANADA
Rev. 306112


PART NUMBER: Z97062

Z97062

Available as a download at
www.embmfg.com



#2089W571 6-WAY WEDGE



#299001 48" LOG PEAVEY

