


PARTS MANUAL

Serial Number 2E9US1116HS091276 & up

BXTR6438F/P TRAILER WOOD CHIPPER



WALLENSTEIN

Foreword

This Wallenstein parts manual is prepared to assist customers in ordering quality OEM replacement parts.

Regular maintenance combined with replacing old, worn or broken parts with the correct OEM parts is essential in prolonging the life of your Wallenstein product. Refer to this manual to identify replacement parts.

To order parts, contact your Wallenstein dealer or distributor. Have the product model and serial number handy.

If your dealer is no longer available, please go to our website: <http://www.wallensteinequipment.com> and click on the [Dealer Locator](#) to find the nearest dealer.

All information contained in this parts manual is current as per the revision date at the bottom of the page. Wallenstein reserves the right to change product specifications at any time without notice.

If your product specifications differ from those contained in this manual, contact Wallenstein for current information.

Reproduction of information in this parts manual is prohibited without prior written permission from Wallenstein Equipment Inc.

Wallenstein Equipment Inc. • © 2018



WARNING!

Refer to the operators manual for safe operation and maintenance.


Maintenance should be performed by trained personnel only.

Serial Number Location

Always provide the model and serial number of your Wallenstein product when ordering parts or requesting service or other information. This information is found on the product information plate as shown below.

Record product information for future reference.

Manufactured by: EMB MFG INC, 4144 BOOMER LINE, ST CLEMENTS, ON N0B2M0	
MODEL: #####	TYPE OF VEHICLE/TYPE DE VEHICULE: TRA / REM
	GAIR/PNEU (KG): GVM/PMBV (KG): ###
DIMENSION: RIM/JANTE: ###	TIRE/PNEU: ###
COLD INFL. PRESS/PRESS DE CONF. A FROID (PSI/PSI): ###	THIS VEHICLE CONFORMS TO ALL APPLICABLE STANDARDS PRESCRIBED UNDER THE CANADIAN MOTOR SAFETY REGULATIONS IN EFFECT ON THE DATE OF MANUFACTURE. (CE VEHICULE EST CONFORME A TOUTES LES NORMES QUI LUI SONT APPLICABLES EN VERTU DU REGLEMENT SUR LA SECURITE DES VEHICULES AUTOMOBILES DU CANADA EN VIGUEUR A LA DATE DE SA FABRICATION)
VIN: NLV: #####	




www.wallensteinequipment.com

Contents

Tongue Assembly	4
Main Frame (Top View)	5
Main Frame	6
Compartment Covers	7
Main Covers.....	8
Hydraulic Tank Detail.....	9
Fuel Tank Detail.....	10
Chute.....	11
Engine and Hydraulic Pump	12
Fluid Coupler Drive	13
Rotor Assembly.....	14
Rotor Housing	15
Roller Feed Hopper.....	16
Roller Feed Handle Control.....	16
Loading Table	17
Upper Roller – Left View.....	18
Upper Roller Arm Assembly.....	19
Roller Hood Assembly.....	20
C200 Fluid Coupler Kit	21
Z91123 Axle Assembly – BXTR6438F.....	22
Hub Assembly Detail – BXTR6438F	22
Z91131 Axle Assembly – BXTR6438P.....	23
Brake Drum Assembly Detail – BXTR6438P	23
IntelliFEED Logic Harness #Z62111	24
BXTR6438P Trailer Harness #Z62122.....	24
BXTR6438F Trailer Harness #1062F101.....	24
Hydraulic Plumbing Diagram.....	25
Hydraulic Hose List	25
Decal Layout.....	26
Decal Layout – Lubrication	28
Common Bolt Torque Values	29
Hydraulic Fitting Torque Values	30
Wheel Lug Torque Values.....	30

Tongue Assembly




ECN0416

1062A414, Ladder Ball Hitch
includes Items 3, 7, 11 (two)
and 14

Item No.	Part No.	Description	Qty
1	1062W520	Tongue	1
2	1082W503	Jack	1
3	2073W527	Ladder Hitch Adjuster	1
4	Z71310	Hex Bolt, 3/8NC x 1"	4
5	Z71412	Hex Bolt, 7/16NC x 1-1/4"	2
6	Z71510	Hex Bolt, 1/2NC x 1"	1
7	Z71530	Hex Bolt, 1/2NC x 3"	2
8	Z71645	Hex Bolt, 5/8NC x 4-1/2"	2
9	Z72231	Hex Lock Nut, 3/8NC	4
10	Z72241	Hex Lock Nut, 7/16NC	2
11	Z72251	Hex Lock Nut, 1/2NC	3
12	Z72261	Hex Lock Nut, 5/8NC	2
13	Z73142	SAE Washer, 7/16"	2
14	Z91614	Hitch Coupler, 2" Ball x 2" x 3500lbs	1
15	Z92307	Safety Chain, 1/4" x 3ft with Snap	2


Main Frame (Top View)



ECN0398

Item No.	Part No.	Description	Qty
1	1054W482	Sensor Mount	1
2	1062F102	Spiral Wrap, 4" x 24"	1
3	1062L631	Bridge Guard Mount, Fender	2
4	Z18201-2	Hood Fastener, Top Bracket	2
5	Z62818	Rubber Grommet, 3/4" x 3/16"	6
6	Z62819	Rubberized Wire Clamp, 1/2"	17
7	Z66210	Pickup Sensor, IntelliFEED w/ 68" Lead	1
8	Z72211	Hex Lock Nut, 1/4NC	17
9	Z72221	Hex Lock Nut, 5/16NC	4
10	Z72341	Jam Nut, 7/16NC	2
11	Z72921	Wing Nut, 1/4NC	2
12	Z76111	Flange Bolt, 1/4NC x 3/4"	4

Item No.	Part No.	Description	Qty
13	Z76131	Flange Bolt, 3/8NC x 1/2"	6
14	Z76134	Flange Bolt, 3/8NC x 1"	4
15	Z76221	Carriage Bolt, 5/16NC x 3/4"	4
16	Z76711	Self-tapping Screw, #10 x 1/2"	4
17	Z78301	Machine Screw, 1/4NC x 3/4"	17
18	Z93202	J-Hook, 1/4" x 7"	2
19	Z93205	Battery, 550CCA	1
20	Z93207	Hold-Down Strap, 1" x 8-1/2"	1
21	Z72956	Rivet Nut, 5/16NC x 150	2
22	Z76121	Flange Bolt, 5/16NC x 3/4"	2

Main Frame

BXTR6438F – See Z91123 Axle Detail


BXTR6438P – See Z91131 Axle Detail

ECR03378

Item No.	Part No.	Description	Qty
1	1062W507	Main Frame	1
2	Z51192	Socket Plug, MP 08	1
3	Z61102	STT Lamp, Oval	2
4	Z61103	Grommet, Oval x Open Back	2
5	Z61201	Marker Lamp, Round x Red	2
6	Z61202	Grommet, Round x Open Back	4
7	Z61205	Marker Lamp, Round x Amber	2
8	Z61301	License Lamp, White	1
9	Z62818	Rubber Grommet, 3/4" x 3/16"	2
10	Z71512	Hex Bolt, 1/2NC x 1-1/4"	8
11	Z72251	Hex Lock Nut, 1/2NC	8
12	Z73151	SAE Washer, 1/2"	8
13	Z76712	Self-tapping Screw, #10 x 3/4"	2
14	Z91317	ST205/75R14 LRC Radial Trail 5on4-1/2"	2
15	Z91123	#9 Full Flex Axle, 2200lbs x 54" HF With 5-Bolt Hubs	1
16	Z91131	#9 Full Flex Axle, 2200lbs x 54" HF With Electric Brakes	1


Note: for more information on Dexter axle, hub or brakes, please review the Dexter Complete Service Manual, available for download: www.dexteraxle.com. Any maintenance or repairs must be performed by a qualified brake and axle technician

Compartment Covers



Item No.	Part No.	Description	Qty
1	1054W474	Toolbox Lid	1
2	1054W475	Base, Toolbox Lid	1
3	1054W476	Cap, Fuel	1
4	1062W519	Lid, Gas Tank Compartment	1
5	Z11300	Clevis Pin 3/16 x 1-3/8	2
6	Z12300	Cotter Pin 3/32 X 3/4	2
7	Z18201-3	Hood Fastener, Latch Strap	2
8	Z51383	Elbow 90, MORB x FPX 0808	2
9	Z51641	Straight, MJIC x MORB 0606	2
10	Z56508	Single Spool Valve, OC Tandem PROPSOL x 6GPM	1
11	1012L269	Gauge, Ledger Setting	1


Item No.	Part No.	Description	Qty
12	Z62816	Deutsch Mounting Clip	1
13	Z71310	Hex Bolt, 3/8NC x 1"	1
14	Z72231	Hex Lock Nut, 3/8NC	1
15	Z72914	Acorn Nut, 5/16NC	4
16	Z72958	Rivet Nut, 3/8NC x 150	1
17	Z76133	Flange Bolt, 3/8NC x 3/4"	1
18	Z76134	Flange Bolt, 3/8NC x 1"	6
19	Z76221	Carriage Bolt, 5/16NC x 3/4"	4
20	Z73122	SAE Washer, 5/16"	2
21	Z71235	Hex Bolt, 5/16NC x 3-1/2"	2

Main Covers

Item No.	Part No.	Description	Qty
1	1054W472	Cowl Lid	1
2	1054W473	Base, Cowl	1
3	Z18203	Handle, Padlockable	1
4	Z18204	Cam, 5/16	1
5	Z18205	Tinnerman Nut, 5/16	1
6	Z61304	Indicator Light, 10mm Green	1
7	Z61305	Indicator Light, 10mm Red	1
8	Z62111	BXTR6438 Logic Harness	1
9	Z66204	Control, IntelliFEED	1


Item No.	Part No.	Description	Qty
10	Z72771	Machine Nut, 1/4NC	3
11	Z72914	Acorn Nut, 5/16NC	2
12	Z76134	Flange Bolt, 3/8NC x 1	4
13	Z76221	Carriage Bolt, 5/16NC x 3/4	2
14	Z78301	Machine Screw, 1/4-20NC x 3/4	3
15	Z78312	Machine Screw, #10-24NC x 5/8	4
16	Z78316	Machine Screw, #10-32NF x 3/4	4
17	Z96503	Manual Tube 3-1/2 Short	1

Hydraulic Tank Detail




Item No.	Part No.	Description	Qty
1	1062W511	Hydraulic Tank	1
2	Z51192	Socket Plug MP08	1
3	Z51331	Elbow 90 MP x FPX 0808	1
4	Z55101	Suction Strainer, 10gpm	1
5	Z55201	Tank Mounted Return Filter	1
6	Z55401	Breather Filler Cap	1
7	Z55901	Site Glass 1NPT	1
8	Z71107	Hex Bolt, 1/4NC x 3/4	2
9	Z78303	Machine Screw, #10-32NF x 1/2	6


Fuel Tank Detail



ECN0398

Item No.	Part No.	Description	Qty
1	1062W523	9G Fuel Tank, Trailer Chippers	1
2	Z51190	Elbow 90, MHB x MP 0406	1
3	Z51192	Socket Plug, MP 08	1
4	Z93108	EPA Ratchet Fuel Cap, Unleaded Fuel x Unvented with Tether	1
5	Z93110	EPA Remote Vent, HB04	1
6	Z93111	Vent Grommet For Z93110	1
7	Z93113	Fuel Gauge, Grommet Mount x 7"	1
8	Z93115	Fuel Gauge Grommet for Z93113	1
9	Z93308	EPA Carbon Canister, 1200cc	1
10	Z93329	Fuel Check Valve, FP x FP 0404	1
11	1062F104	EPA Fuel Line, 1/4" x 20"	1
12	1062F105	EPA Fuel Line, 1/4" x 62"	1
13	1062F106	EPA Fuel Line, 1/4" x 35"	1
14	1061M111	Custom Adapter MP12 x FP06	1
15	1062S106	Fuel Pickup Tube	1
16	Z71207	Hex Bolt, 5/16NC x 3/4"	2
17	Z72221	Hex Lock Nut, 5/16NC	2
18	Z76131	Flange Bolt, 3/8NC x 1/2"	6
19	Z79405	Hose Clamp, SAE #4 (5/8")	6




Chute

Item No.	Part No.	Description	Qty
1	1012W208	Assembly, Hood Latch	1
2	1060W145	Deflector Handle	1
3	1062W517	Discharge Deflector	1
4	1062W518	Discharge Chute	1
5	1054L535	Spacer Ring	2
6	1054L536	Hood Capture Ring	2
7	Z19321	Grip, 1" x 5"	1
8	Z29204	Grease Fitting, 1/8NPT x 45	1
9	Z31403	Spring 27mm x 178mm x 0.105	1
10	Z71110	Hex Bolt, 1/4NC x 1	8
11	Z71310	Hex Bolt, 3/8NC x 1	1
12	Z72211	Hex Lock Nut, 1/4NC	8
13	Z72231	Hex Lock Nut, 3/8NC	1
14	Z72911	Acorn Nut, 3/8NC	3
15	Z73131	Flat Washer, 3/8	1

Engine and Hydraulic Pump

Note: for more information on Kohler CH980 Engine, please review the Kohler Owners Manual.




Item No.	Part No.	Description	Qty
1	1054W490	Engine Adjustment Plate	1
2	1054W491	Pump Mount	1
3	Z79405	Hose Clamp, SAE #4 (5/8")	2
4	1054L539	Fuel Filter Bracket	1
5	1054L570	Adapter Plate	1
6	1054L571	Pump Guard	1
7	1054M412	Stub Shaft, Kohler Front	1
8	Z14152	Roll Pin, 3/16" x 3/4"	4
9	Z14301	Roll Pin, 10mm x 22mm	2
10	Z46417	Spider, L100	1
11	Z46424	Shaft Coupling, L100 x 3/4"	1
12	Z46427	Shaft Coupling, L100 x 1-3/8"	1
13	Z46523	Key, 3/16" x 3/16" x 1-1/2"	1
14	Z46542	Key, 5/16" x 5/16" x 1"	1
15	Z47501	Kohler CH980, Electric	1
16	Z47505	Muffer Guard, CH980	1
17	Z47509	Muffer, CH980 w/ Key Side Exhaust	1
18	Z51188	Straight, MHB x MP 1612	1
19	Z51226	Straight, MP x FP 0806	1

Item No.	Part No.	Description	Qty
20	Z51336	Elbow 90, MP x FPX 0608	1
21	Z51375	Straight, MORB x FPX 1012	1
22	Z51383	Elbow 90, MORB x FPX 0808	1
23	Z51781	Straight, MORB x FORB 1008	1
24	Z53113	Gear Pump, Series 20 x 0.30CIR	1
25	Z62801	Rubber Grommet, 7/16" x 1/8"	1
26	Z71412	Hex Bolt, 7/16NC x 1-1/4"	2
27	Z71660	Hex Bolt, 5/8NC x 6"	1
28	Z72231	Hex Lock Nut, 3/8NC	15
29	Z72241	Hex Lock Nut, 7/16NC	2
30	Z73131	SAE Washer, 3/8"	12
31	Z73161	SAE Washer, 5/8"	1
32	Z74121	Set Screw, 5/16NC x 3/8"	4
33	Z76111	Flange Bolt, 1/4NC x 3/4"	4
34	Z76232	Carriage Bolt, 3/8NC x 1-1/4"	12
35	Z76632	Plow Bolt, 3/8NC x 2"	4
36	Z77154	Hex Bolt, M8x1.25 x 50mm	4
37	Z79401	Hose Clamp, SAE #16 (1-1/2")	1

Fluid Coupler Drive


Note: for more information on Z49304 Roto-Fluid Fluid Coupler, please review the Roto-fluid Installation and Maintenance Manual.

Seal Kit for #Z49304: BE30NJ58/98OSK SEAL KIT, FLUID COUPLING ROTO-FLUID




Item No.	Part No.	Description	Qty
1	1054L516	Guard, Engine Wire	1
2	1062W521	Catch Basin	1
3	Z93323	Drain Valve	1
4	1082W510	Guard, Belt	1
5	Z41262	Double Belt, 2B78	1
6	Z46352	Spacer, 1-7/16" ID x 1.75"	1
7	Z46596	Key, 5/16" x 3/8" x 2-1/2"	1
8	Z49304	Fluid Clutch, 2B x 4.9P x 1-7/16"	1
9	Z49304-1	Fusible Plug, 180C	1
10	Z71674	Hex Bolt, 5/8NF x 6-1/2"	1
11	Z72958	Rivet Nut, 3/8NC x 150	4
12	Z76133	Flange Bolt, 3/8NC x 3/4"	4
13	Z76134	Flange Bolt, 3/8NC x 1"	5
14	Z92108	Aircraft Cable, 1/8" x 36"	1

ECN0416

Rotor Assembly

Item No.	Part No.	Description	Qty
1	1053M303	Split Knife, BXT62 Rotor	4
2	1054L555	RPM Indicator	1
3	1062L635	Bearing Spacer Plate	2
4	1062W514	Rotor, 4-split Trailer	1
5	Z25208	2" Flange Bearing Ductile Housing	2
6	Z29202	Grease Zerk 1/4NF	2
7	Z41512	SK Bushing, 2 Bore	1
8	Z41702	Double "B" Sheave, 12.75" Pitch	1
9	Z46561	Key, 1/2 x 1/2 x 2	1
10	Z71220	Hex Bolt, 5/16NC x 2	3
11	Z71572G8	Hex Bolt, 1/2NF x 7/8 Gr8	8
12	Z72261G8	Hex Lock Nut, 5/8NC Grade 8	8
13	Z74111	Set Screw, 1/4NC	1
14	Z74132	Set Screw, 3/8NF	4
15	Z76264G8	Carriage Bolt, 5/8NC x 2-1/2 Grade 8	8


Rotor Housing



Item No.	Part No.	Description	Qty
1	1012M204	Knife, BX62 Ledger	1
2	1012W204	Twig Breaker	1
3	1062L643	Stiffener Bridge	1
4	1062W513	Housing, Bottom Rotor	1
5	1062W515	Housing, Upper Rotor	1
6	Z62811	Straight Fitting, 1/2" Wire	1
7	Z66107	Limit Switch, Pizzato FD501	1
8	Z71512	Hex Bolt, 1/2NC x 1-1/4"	8
9	Z71572G8	Hex Bolt, 1/2NF x 7/8" G8	3
10	Z72251	Hex Lock Nut, 1/2NC	8
11	Z72961	Rivet Nut, 1/2NC x 350	1
12	Z73151	SAE Washer, 1/2"	3
13	Z78307	Machine Screw, #10NF x 1-1/2"	4
14	1023L155	Rotation Stop	1
15	Z72271	Hex Lock Nut, 3/4NC	2


Roller Feed Hopper

Item No.	Part No.	Description	Qty
1	1062W115	Switch Cover	1
2	1062W509	Hopper, Roller Feed	1
3	1062W510	Bridge Guard	1
4	Z34203	Gas Spring, 10mm x 8.44 Stroke	2
5	Z34204	Ball Stud 13mm x 5/16	2
6	Z62811	Straight Fitting 1/2" Wire	1
7	Z66107	Limit Switch	1
8	Z71510	Hex Bolt, 1/2NC x 1	3
9	Z71512	Hex Bolt, 1/2NC x 1-1/4	3
10	Z71532	Hex Bolt, 1/2NC x 3-1/4	3
11	Z72221	Hex Lock Nut, 5/16NC	2
12	Z72251	Hex Lock Nut, 1/2NC	5
13	Z72914	Acorn Nut, 5/16NC	2
14	Z72956	Riv-Nut 5/16NC x 150	2
15	Z76122	Flange Bolt, 5/16NC x 1/2	2
16	Z76134	Flange Bolt, 3/8NC x 1	4
17	Z76227	Carriage Bolt, 5/16NC x 1-3/4	2
18	Z78307	Machine Screw, #10-32NF x 1-1/2	4
19	Z79463	Double Hose Clamp 11/16"	2
20	Z92114	Safety Cable x 12"	1




Roller Feed Handle Control


Item No.	Part No.	Description	Qty
1	1015M536	Bolt, Indicator Head	1
2	1015M537	Bushing, Bearing	2
3	1015M542	Metallic Switch Head	2
4	1015S538	U-bolt, Bearing Adapter	2
5	1015W517	Bearing Adapter	1
6	1062L607	Detent Bar	1
7	Z21203	Ball Bearing 6202 2RS	1
8	Z32403	Spring 1 x 0.115 x 2-1/2	1
9	Z62811	Straight Fitting 1/2" Wire	2
10	Z66107	Limit Switch	2
11	Z71315	Hex Bolt, 3/8NC x 1-1/2	1
12	Z71517	Hex Bolt, 1/2NC x 1-3/4	1
13	Z72221	Hex Lock Nut, 5/16NC	4
14	Z72231	Hex Lock Nut, 3/8NC	1
15	Z72241	Hex Lock Nut, 7/16NC	1
16	Z72251	Hex Lock Nut, 1/2NC	1
17	Z72204	Hex Lock Nut, #10NF	8
18	Z78311	Machine Screw, #10-32NF x 1-3/4	8



#1015A501 Limit
Switch w/ Metallic
Head Ass'y




Loading Table




Item No.	Part No.	Description	Qty
1	1062W506	Table, Fold-Down	1
2	1015L559	Brace, Table Capture	2
3	1015S538	U-bolt, Bearing Adapter	4
4	1062L622	Bracket, Handle LH	1
5	1062L622H	Bracket, Handle RH	1
6	1062S101	Chute Handle	1
7	Z18207	Spring Latch Pin 1/2 x 1" Stroke	1
8	Z72221	Hex Lock Nut, 5/16NC	8
9	Z72271	Hex Lock Nut, 3/4NC	2
10	Z72911	Acorn Nut, 3/8NC	8
11	Z75202	FHCS, #10-32NF x 3/8	4
12	Z76233	Carriage Bolt, 3/8NC x 3/4	8

Upper Roller – Left View



Item No.	Part No.	Description	Qty
1	1015W511	Roller, Lower Feed	1
2	Z24101	P208 Pillow Block 1-1/2	2
3	Z29202	Grease Zerk 1/4NF	2
4	Z29206	Bulkhead, FP x FP 0402 7/16NC	2
5	Z29304	1/4 Hose MP x MP 0202 x 90A	2
6	Z29307	Elbow 90 MP x FPX 0202	2
7	Z46594	Blind Chipper Key 1/4 x 1-1/4	1
8	Z51384	#10ORB x 1/2FNPT 90 Elbow	2
9	Z54102	M&S Hydraulic Motor 200	1
10	Z71520	Hex Bolt, 1/2NC x 2	2
11	Z71620	Hex Bolt, 5/8NC x 2	4
12	Z72251	Hex Lock Nut, 1/2NC	2
13	Z72261	Hex Lock Nut, 5/8NC	4
14	Z72341	Jam Nut, 7/16-14NC	2


Upper Roller Arm Assembly




Item No.	Part No.	Description	Qty
1	1015W508	Roller Arm, RH	1
2	1015W513	Roller, Upper Feed	1
3	1015W520	Bridge	1
4	1062W516	Arm, Upper Roller LH	1
5	Z29312	1/4" Grease Whip, MP02 x MP02 x 13"	1
6	Z25204	4-Bolt Bearing 1-1/2" Bore	2
7	Z29201	Grease Fitting, 1/8NPT	1
8	Z29202	Grease Zerk 1/4NF	3
9	Z29206	Bulkhead, FP x FP 0402 7/16NC	1
10	Z29311	Straight, MP x FPX 0202	1

Item No.	Part No.	Description	Qty
11	Z31501	Spring 2 x 7 Heavy	2
12	Z46594	Blind Chipper Key 1/4 x 1-1/4	1
13	Z51386	Elbow 45 MORB x FPX 1008	2
14	Z54102	M&S Hydraulic Motor 200	1
15	Z71517	Hex Bolt, 1/2NC x 1-3/4	2
16	Z72251	Hex Lock Nut, 1/2NC	10
17	Z72341	Jam Nut, 7/16-14NC	1
18	Z74121	Set Screw, 5/16NC	4
19	Z76255	Carriage Bolt, 1/2NC x 2	8

Roller Hood Assembly




Item No.	Part No.	Description	Qty
1	1015L618	Capture Washer	2
2	1015W507	Top Roller Hood	1
3	1015W510	Hood Pivot Arm	1
4	1015W510H	Hood Arm	1
5	Z34204	Ball Stud 13mm x 5/16	2
6	Z71512	Hex Bolt, 1/2NC x 1-1/4	2
7	Z71560	Hex Bolt, 1/2NC x 6	2
8	Z72221	Hex Lock Nut, 5/16NC	4
9	Z72251	Hex Lock Nut, 1/2NC	6
10	Z72914	Acorn Nut, 5/16NC	2
11	Z73151	Flat Washer, 1/2	2
12	Z76251	Carriage Bolt, 1/2NC x 1-1/2	6
13	Z76522	Eye Bolt 5/16NC x 2	2

C200 Fluid Coupler Kit


Item No.	Part No.	Description	Qty
1	1082W510	Guard, Belt	1
2	1061L143	Fluid Coupler Capture Washer	1
3	Z41262	Double Belt, 2B78	1
4	Z46352	Spacer, 1-7/16" ID x 1.75"	1
5	Z46596	Key, 5/16" x 3/8" x 2-1/2"	1
6	Z49303	Fluid Clutch, 2B x 4.9P x 1-7/16"	1
7	Z49303-1	Fusible Plug, 198C	1
8	Z49303-2	Taper Bushing, 1-7/16" x 2"	1
9	Z71674	Hex Bolt 5/8NF x 1-3/4	1
10	Z72958	Rivet Nut, 3/8NC x 150	1
11	Z76133	Flange Bolt, 3/8NC x 3/4"	1

Z91123 Axle Assembly – BXTR6438F




Item No.	Part No.	Description	Qty
1	Z91123-1	#9 Full Flex Axle, 2200lbs x 54" HF Axle Only	1
2	Z91204	Idler Hub Assy, 1100lbs x 5on4-1/2"	2

Hub Assembly Detail – BXTR6438F




Item No.	Part No.	Description	Qty
1	Z23201	Roller Bearing, L44643 L44610	2
2	Z28301	Double Lip Seal, 1-1/4"	1
3	Z72931	Lug Nut, 1/2NF	5
4	Z91203	Hub, 1100lbs x 5on4-1/2"	1
5	Z91801	Dust Cap, 1.98 Bore	1
6	Z29204	Elbow 45 Grease Fitting, MP02	1

Z91131 Axle Assembly – BXTR6438P



ECR03378

Item No.	Part No.	Description	Qty
1	Z91131-1	#9 Full Flex Axle, 2200lbs x 54" HF Axle Only	1
2	Z91703	Electric Brake, 7" x 1-1/4" x 1000lbs LH	1
3	Z91724	Electric Brake, 7" x 1-1/4" x 1000lbs RH	1
4	Z91723	Brake Drum, 7" x 1100lbs 5on4-1/2" Complete Assembly	2
5	Z72242	Hex Lock Nut, 7/16NF	8

Brake Drum Assembly Detail – BXTR6438P

ECR03378


Item No.	Part No.	Description	Qty
1	Z23202	Roller Bearing, L44649 L44610	2
2	Z28301	Double Lip Seal, 1-1/4"	1
3	Z72931	Lug Nut, 1/2NF	5
4	Z91801	Dust Cap, 1.98 Bore	1
5	Z91722	Brake Drum, 7" x 1100lbs 5on4-1/2" Drum Only	1

IntelliFEED Logic Harness #Z62111**1062 BXTR6438 WIRE HARNESS INSTALLATION INSTRUCTIONS****BXTR6438P Trailer Harness #Z62122**

7-PIN RV CONNECTOR
PIN-OUT
(VIEWED FROM TRAILER SIDE)

BXTR6438F Trailer Harness #1062F101

4-PIN
CONNECTOR
WITH DUST CAP



Hydraulic Plumbing Diagram

Fitting Identification


Connection Type

NPT – National Pipe Thread
JIC – Tube Flare
ORB – “O” Ring Boss
HB – Hose Barb

Connection Type

NPT
12

Connection Size




Hydraulic Hose List

PART NUMBER	DESCRIPTION	QTY
Z29304	1/4 Hose, MP x MP0202 x 90A	2
Z52302	1/2 Hose, MP08 x MP08 x 12"	1
Z52239	3/8 Hose, MP08 x MP08 x 48"	1
Z52242	3/8 Hose, 90FJIC06 x MP08 x 84"	1
Z52243	3/8 Hose, 90FJIC06 x MP08 x 32"	1
Z52241	3/8 Hose, MP08 x MP08 x 24"	1
1062F103	1/2 Hose, MP08 x 90FJIC08 x 62"	1
Z52416	1" Tank Truck Hose x 64"	1

Decal Layout

NOTE: If parts are replaced that have safety signs on them, new signs must be applied. Safety signs must always be replaced if they become damaged, are removed, or become illegible.


Safety signs are included in the product decal kit available from your authorized dealer. Decals are not available separately.



NOTE: BXTR6438P shown. BXTR6438F same.

[illegible]

27

Decal Layout – Lubrication

Common Bolt Torque Values

Checking Bolt Torque

The tables shown give correct torque values for various bolts and capscrews. Tighten all bolts to the torque values specified in the table, unless indicated otherwise. Check tightness of bolts periodically.

IMPORTANT! If replacing hardware, use fasteners of the same grade.

IMPORTANT! Torque figures indicated in the table are for non-greased or non-oiled threads. Do not grease or oil threads unless indicated otherwise. When using a thread locker, increase torque values by 5%.



NOTE: Bolt grades are identified by their head markings.

Imperial Bolt Torque Specifications

Bolt Diameter	Torque Value					
	SAE Gr. 2		SAE Gr. 5		SAE Gr. 8	
	lbf•ft	N•m	lbf•ft	N•m	lbf•ft	N•m
1/4"	6	8	9	12	12	17
5/16"	10	13	19	25	27	36
3/8"	20	27	33	45	45	63
7/16"	30	41	53	72	75	100
1/2"	45	61	80	110	115	155
9/16"	60	95	115	155	165	220
5/8"	95	128	160	215	220	305
3/4"	165	225	290	390	400	540
7/8"	170	230	420	570	650	880
1"	225	345	630	850	970	1320



SAE Gr. 2



SAE Gr. 5



SAE Gr. 8

Metric Bolt Torque Specifications

Bolt Diameter	Torque Value			
	Gr. 8.8		Gr. 10.9	
	lbf•ft	N•m	lbf•ft	N•m
M3	0.4	0.5	1.3	1.8
M4	2.2	3	3.3	4.5
M6	7	10	11	15
M8	18	25	26	35
M10	37	50	52	70
M12	66	90	92	125
M16	166	225	229	310
M20	321	435	450	610
M30	1,103	1 495	1,550	2 100
M36	1,917	2 600	2,700	3 675



8.8



10.9

Hydraulic Fitting Torque Values

Tightening Flare Type Tube Fittings

1. Check flare and flare seat for defects that might cause leakage.
2. Align tube with fitting before tightening.
3. Hand-tighten swivel nut until snug.
4. To prevent twisting the tube, use two wrenches. Place one wrench on the connector body and tighten the swivel nut with the second. Torque to values shown.

If a torque wrench is not available, use the FFFT (Flats From Finger Tight) method.

Hydraulic Fitting Torque					
Tube Size OD	Hex Size Across Flats	Torque value		Flats From Finger Tight	
Inches	Inches	lbf•ft	N•m	Flats	Turns
3/16	7/16	6	8	2	1/6
1/4	9/16	11–12	15–17	2	1/6
5/16	5/8	14–16	19–22	2	1/6
3/8	11/16	20–22	27–30	1-1/4	1/6
1/2	7/8	44–48	59–65	1	1/6
5/8	1	50–58	68–79	1	1/6
3/4	1-1/4	79–88	107–119	1	1/8
1	1-5/8	117–125	158–170	1	1/8

Values shown are for non-lubricated connections.

Wheel Lug Torque Values

It is extremely important safety procedure to apply and maintain proper wheel mounting torque on your trailer axle. Torque wrenches are the best method to assure the proper amount of torque is being applied to a fastener.

Wheel lugs should be torqued before first road use and after each wheel removal. Check and re torque after the first 10 miles (16 Km), 25 miles (40 Km), and again at 50 miles (80 Km). Check periodically thereafter.

 **NOTE:** *Wheel lugs must be applied and maintained at the proper torque levels to prevent loose wheels, broken studs, and possible dangerous separation of wheels from your axle.*

- Start all lugs by hand to prevent cross threading.
- Tighten lugs in sequence, per wheel lug torque sequence chart.
- The tightening of the fasteners should be done in stages. Following the recommended sequence, tighten fasteners per wheel torque requirements chart.

Wheel Lug Nut Torque				
Wheel Size	Units	1st Stage	2nd Stage	3rd Stage
8"	lbf•ft N•m	12–20 16–26	30–35 39–45.5	45–55 58.5–71.5
12"	lbf•ft N•m	20–25 26–32.5	35–40 45.5–52	50–60 65–78
13"	lbf•ft N•m	20–25 26–32.5	35–40 45.5–52	50–60 65–78
14"	lbf•ft N•m	20–25 26–32.5	50–60 65–78	90–120 117–156
15"	lbf•ft N•m	20–25 26–32.5	50–60 65–78	90–120 117–156
16"	lbf•ft N•m	20–25 26–32.5	50–60 65–78	90–120 117–156

Wheel Lug Torque Pattern

